



-T_ 1) Land Area

Finishing-Breeding Farm in Canterbury

Total: 1174ha Effective: 1100ha

Vegetation:

- 35ha exotic forest at open; 5ha harvested this year
- 17ha Indigenous forest established
- 21ha indigenous shrubland less than 30 years old



2) Fertiliser, Lime and Dolomite

Туре	Total Amount	Kg elemental N	Туре
Lime	210 tonnes		
Dolomite	52 tonnes		
Urea	21 tonnes	9660	Urea without urease inhibitor
Cropmaster 20	17 tonnes	3196	Non-urea N fertiliser
Superphosphate 13S	202 tonnes		Fertiliser
Cropzeal Boron Boost	9 tonnes	1485	Non-urea N fertiliser
N-Protect	8 tonnes	3672	Urea with urease inhibitor



3) Stock numbers

As per Trading Accounts (page 2)

In addition:

- 500 mixed-age ewes are grazed off-farm all year, in a share-farming arrangement.
- 242 mixed-age dairy cows wintered in 2021. Arrive 9 June, depart 20 July. No deaths.
- 233 mixed-age dairy cows wintered in 2022. Arrive 8 June, depart 15 July. No deaths.
- 121 R1 dairy heifers being grazed, on hand at opening, leave 15 May 2022.
- 122 dairy heifer calves arrive to be grazed on 15 December 2021.
- All sheep sold prime.
- All R2 cattle and older cattle sold prime, all R1s sold store.

Stock Reconciliation . 1/7/21 - 30/6/22

Sheep Trading Account	Qty
Sales	
Lambs	9156
Mixed Age ewes	1850
	11006
Purchases	
Lambs - mixed sex	506
2th Ewes	579
Breeding Rams	15
	1100
Opening Stock	
Ewe hoggets	1315
2th ewes	1298
3 and 4 yr Ewes	2916
5 and 6 yr Ewes	2917
Rams	85
Total Opening Stock	8531
Closing Stock	
Ewe hoggets	1278
Trade hoggets	506
2th ewes	1297
3 and 4 yr Ewes	1816
5 and 6 yr Ewes	3805
Rams	88
Total Closing Stock	8790
Sheep Reconciliation of Numbers	
Opening Stock	8531
Plus	
Purchases	1100
Natural Increase	10579
	11679
Less	
Sales	11006
Deaths & Missing	414
	11420
Closing Stock Numbers	8790

Cattle Trading Account	Qty
Sales	
Rising 2yr Heifers	31
Rising 2yr Steers	112
Rising 2yr Bulls	4
Mixed Age Cows	48
Breeding Bulls	2
	197
Purchases	
Breeding Bulls	2
	2
Opening Stock	
Rising 1yr Heifers	131
Rising 1yr Steers	120
Rising 1yr Bulls	34
Rising 2yr Heifers	91
Rising 2yr Steers	114
Rising 2yr Bulls	4
Mixed Age Cows	220
Breeding Bulls 5	5
Total Opening Stock	719
Closing Stock	
Rising 1yr Heifers	146
Rising 1yr Steers	118
Rising 1yr Bulls	24
Rising 2yr Heifers	130
Rising 2yr Steers	117
Rising 2yr Bulls	34
Mixed Age Cows	227
Breeding Bulls	5
Total Closing Stock	801
Cattle Reconciliation of Numbers	
Opening Stock	719
Plus	
Purchases	2
Natural Increase	288
	290
Less	
Sales	197
Deaths & Missing	11
	208
Closing Stock Numbers	801

FARM DETAIL					
Farm name	Example Farm 2022		Total farm area (ha)	1174	ha
Regional council	Environment Canterbury	~	Grazed area (ha)	1100	ha
Production Region	Marlborough-Canterbury	v	Analysis date	26 05 2022	
Farm class 🛭	South Island Finishing Bre	eeding	Analysis season	2021 - 2022	
Farm Trading account	123-321-123				
GST number €	GST numbers are used solel counting farm businesses th calculation. Your GST numbe information are never share	nat have completed this er and associated			
fertiliser containing nitro	found in the summary reports ogen (N). Figures should be for ease see Appendix 3 in the use	r total use (not per hectar		here refers only to	
Torrerenser unurysis pre	ease see Appendix 3 in the <u>ase</u>				
Ion-urea nitrogen fertilise	er	Product weight (kg)		Elemental N weight (kg) 4681	kg
Irea without urease inhib	itor			9660	kg
Jrea with urease inhibitor	.*			9000	N.E
rea with urease inhibitor				2672	len
		210000	ka	3672	kg
ime 🤨		210000	kg	3672	kg
ime [©]		210000	kg kg	3672	kį
ime [©]				3672	kį
ime © Oolomite SustainN, Agrotain, N-Pro	tect			3672	kį
Dolomite SustainN, Agrotain, N-Production EGETATION (EXOTIC AP Enter the total area of w 'Shrubland' is the woody These vegetation types a do not reflect eligibility f	tect	52000 n over 0.25ha. 'Forest' is a provided to give an idea over the proposed and evolved.	kg ble to reach a mature heigh of the extent of sequestratio ving agricultural emissions p	t of at least 5 metres. n happening on farm. They ricing system (through He	k <u>e</u>
Dolomite SustainN, Agrotain, N-Production EGETATION (EXOTIC AP Enter the total area of w 'Shrubland' is the woody These vegetation types a do not reflect eligibility f	ND INDIGENOUS) roody vegetation on your farm r vegetation under 5 metres. are indicative only – they are p for sequestration credits unde	52000 n over 0.25ha. 'Forest' is a provided to give an idea over the proposed and evolved.	kg ble to reach a mature heigh of the extent of sequestratio ving agricultural emissions p	t of at least 5 metres. n happening on farm. They ricing system (through He	kg
Dolomite SustainN, Agrotain, N-Production EGETATION (EXOTIC AP Enter the total area of w 'Shrubland' is the woody These vegetation types a do not reflect eligibility f	ND INDIGENOUS) yoody vegetation on your farm y vegetation under 5 metres. are indicative only - they are p for sequestration credits unde missions Trading Scheme (ETS)	52000 n over 0.25ha. 'Forest' is a provided to give an idea o er the proposed and evolv . B+LNZ will provide upda	kg ble to reach a mature heigh of the extent of sequestratio ving agricultural emissions p	t of at least 5 metres. n happening on farm. They ricing system (through He able.	kg
Dolomite SustainN, Agrotain, N-Production EGETATION (EXOTIC Affective the total area of weight of the woody) These vegetation types a do not reflect eligibility for Waka Eke Noa) or the English of t	ND INDIGENOUS) yoody vegetation on your farm y vegetation under 5 metres. are indicative only - they are p for sequestration credits unde missions Trading Scheme (ETS)	52000 n over 0.25ha. 'Forest' is all provided to give an idea of the proposed and evolve. B+LNZ will provide update. Area at open (ha)	kg ble to reach a mature heigh of the extent of sequestratio ving agricultural emissions p ates on eligibility when avail	t of at least 5 metres. n happening on farm. They ricing system (through He able. Harvested this year (ha)	
ime Octomite SustainN, Agrotain, N-Proceedings EGETATION (EXOTIC AN Enter the total area of we'shrubland' is the woody These vegetation types a do not reflect eligibility f Waka Eke Noa) or the En exotic forest (28 years or y andigenous forest - regeneran 100 years old)	ND INDIGENOUS) roody vegetation on your farm r vegetation under 5 metres. are indicative only – they are p for sequestration credits unde missions Trading Scheme (ETS)	52000 n over 0.25ha. 'Forest' is all provided to give an idea of the proposed and evolve. B+LNZ will provide update the proposed and evolve. Area at open (ha)	kg ble to reach a mature heigh of the extent of sequestratio ving agricultural emissions p ates on eligibility when avail	t of at least 5 metres. n happening on farm. They ricing system (through He able. Harvested this year (ha)	
ime Octomite SustainN, Agrotain, N-Proceedings EGETATION (EXOTIC AN Enter the total area of w 'Shrubland' is the woody These vegetation types of the document of the control of the co	ND INDIGENOUS) yoody vegetation on your farm y vegetation under 5 metres. are indicative only - they are p for sequestration credits unde missions Trading Scheme (ETS) younger) trating natural forest (less shed natural forest (more	52000 n over 0.25ha. 'Forest' is all provided to give an idea of the proposed and evolve. B+LNZ will provide update the provide update the provided the	kg ble to reach a mature heigh of the extent of sequestratio ving agricultural emissions p ates on eligibility when avail ha	t of at least 5 metres. In happening on farm. They ricing system (through He able. Harvested this year (ha) 5.0	ŀ

Your farm

Livestock balances

Grazing movements

Livestock movements

Results

In this tab, all animals must be aged up a livestock class at the season's 'close' – if you're using opening and closing numbers from financial statements this should already be done, but if you're not using financial statements you'll need to age up animals, e.g. retained lambs become hoggets at close, Heifers R2 become MA Cows.

SHEEP						
	OWNED ON-	FARM (HEAD)	OWNED OFF-	FARM (HEAD)	GRAZED ON-	FARM (HEAD)
STOCK	AT OPEN	AT CLOSE	AT OPEN	AT CLOSE	AT OPEN	AT CLOSE
MA Ewes	5333	5121	500	500	0	0
2t Ewes	1298	1297	0	0	0	0
Hoggets Ewe 🛭	1315	1278	0	0	0	0
Hoggets Ram 🥹	0	0	0	0	0	0
Hoggets Other 9	0	506	0	0	0	0
Wethers	0	0	0	0	0	0
Breeding Rams	85	88	0	0	0	0
TOTAL	8,031	8,290	500	500	0	0


BEEF CATTLE

	OWNED ON-FARM (HEAD)			FARM (HEAD)	GRAZED ON-FARM (HEAD)		
STOCK	AT OPEN	AT CLOSE	AT OPEN	AT CLOSE	AT OPEN	AT CLOSE	
MA Cows 0	220	227	0	0	0	0	
Heifers R2 🕹	91	130	0	0	0	0	
Heifers R1 🛭	131	146	0	0	0	0	
Bull Beef R1 0	34	24	0	0	0	0	
Bull Beef R2 😉	4	34	0	0	0	0	
Bull Beef R3 😉	0	0	0	0	0	0	
Steers R1 🥹	120	118	0	0	0	0	
Steers R2 🤨	114	117	0	0	0	0	
Steers R3 0	0	0	0	0	0	0	
Breeding Bulls	5	5	0	0	0	0	
TOTAL	719	801	0	0	0	0	

DAIRY CATTLE

Represents owned and non-owned (grazing) Dairy cattle that are not currently being milked.

	OWNED ON-F	ARM (HEAD)	OWNED OFF-F	ARM (HEAD)	GRAZED ON-FARM (HEAD)		
STOCK	AT OPEN	AT CLOSE	AT OPEN	AT CLOSE	AT OPEN	AT CLOSE	
MA Cows @	0	0	0	0	242	233	
Heifers R2 0	0	0	0	0	0	0	
Heifers R1 🛭	0	0	0	0	121	122	
TOTAL	0	0	0	0	363	355	



Your farm

Livestock balances

Grazing movements

Livestock movements

Results

If animals open in a livestock class, they need to be sold within the same livestock class – e.g. hoggets at open need to be sold as hoggets, not lambs. If you record animals in a different class, your loss value and overall GHG calculation will be inaccurate. For animals retained, all animals should be aged up as in previous 'Livestock balances' tab – e.g. lambs retained over balance date should show as hoggets at close, Heifers R2 become MA Cows. Losses are automatically calculated – if results show as negative it is likely due to an ageing up issue as above.

	ON HAND AT			SA	LES	ON-FARM GRAZING	OFF-FARM GRAZING	USED ON	ON HAND AT
STOCK	OPEN	BIRTHS	PURCHASES	STORE	PRIME	ARRIVE LEAVE	DEPART RETURN	FARM @	CLOSE
MA Ewes	5,333		0	0	1850			0	5,121
2t Ewes	1,298		579	0	0			0	1,297
Hoggets Ewe 😉	1,315		0	0	0			0	1,278
Lambs (incl. hogget lambs)		10579	506	0	9156			0	
Hoggets Ram 🛭	0		0	0	0			0	0
Hoggets Other 9	0		0	0	0			0	506
Wethers	0		0	0	0			0	0
Breeding Rams	85		15	0	0			0	88
TOTAL	8,031	10,579	1,100	0	11,006			0	8,290

TOTAL SALES: 11,006

LOSSES: Adult: 3.1% (269 head) Lamb: 1.3% (145 head)

BEEF CATTLE

	ON HAND			SA	LES	ON-FARM GRAZING	OFF-FARM GRAZING	USED ON	ON HAND
STOCK	AT OPEN	BIRTHS	PURCHASES	STORE	PRIME	ARRIVE LEAVE	DEPART RETURN	USED ON FARM @	CLOSE
MA Cows 🛭	220		0	0	48			0	227
Heifers R2 @	91		0	0	31			0	130
Heifers R1 @	131		0	0	0			0	146
Calves & Weaners		288	0	0	0			0	
Bull Beef R1 9	34		0	0	0			0	24
Bull Beef R2 0	4		0	0	4			0	34
Bull Beef R3 9	0		0	0	0			0	0
Steers R1 0	120		0	0	0			0	118
Steers R2 9	114		0	0	112			0	117
Steers R3 🕹	0		0	0	0			0	0
Breeding Bulls	5		2	0	2			0	5
TOTAL	719	288	2	0	197			0	801

TOTAL SALES: 197

LOSSES: Adult: 1.5% (11 head) Calf/Weaner: 0.0% (0 head)

DAIRY CATT	LF

STOCK	ON HAND AT OPEN	BIRTHS	PURCHASES	SAI STORE	LES PRIME	ON-FARM GRAZING ARRIVE LEAVE	OFF-FARM GRAZING	USED ON FARM ⁹	ON HAND AT CLOSE
MA Cows @	242		0	0	0	233 242		0	233
Heifers R2 0	0		0	0	0			0	0
Heifers R1 🛭	121		0	0	0	121		0	122
Calves & Weaners		0	0	0	0	122		0	
TOTAL	363	0	0	0	0	355 363		0	355

TOTAL SALES: 0

LOSSES: Adult: 0.0% (0 head) Calf/Weaner: 0.0% (0 head)

Your farm

Livestock balances

Grazing movements

Livestock movements



Greenhouse Gas Emissions Calculation for Example Farm 2022

Farm emissions		
Source		Kilograms of Carbon dioxide equivalents CO ₂ -e*
Livestock emissions	Dairy cattle (incl. grazing dairy)	268,118
	Beef cattle	1,330,863
	Sheep	3,656,911
	Deer	C
Fertiliser and lime use	Non-urea nitrogen fertiliser	25,277
	Urea without urease inhibitor	48,988
	Urea with urease inhibitor	17,848
	Limestone	92,400
	Dolomite	24,783
	Total kg	5,465,188
	Kg / total ha	4,655

Production region & Farm class 🛭	2,774	
average emissions (kg / total ha)		

Tonnes of carbon dioxide equivalents CO ₂ -e	
Carbon dioxide CO ₂	138
Methane CH ₄ (tonnes CH ₄ x 25)	4,369
Nitrous oxide N ₂ O (tonnes N ₂ O x 298)	958
Tonnes (X)	5,465
Tonnes / total ha	4.66

Carbon dioxide CO ₂	Methane CH ₄	Nitrous oxide N ₂ O
	8,303	203
	41,213	1,009
	125,239	1,765
	0	0
		85
15,400		113
5,854		40
92,400		
24,783		
138,437	174,755	3,214
118	149	3

116	90	1

Tonnes of greenhouse gases		
Carbon dioxide CO ₂	Methane CH ₄	Nitrous oxide N ₂ O
138	175	3

Deforestation emis		
Source		Kilograms of Carbon dioxide equivalents CO ₂ -e
Exotic forest	Harvest and deforestation	4,733,025
Indigenous forest	Established or regenerated indigenous forest deforested	0
Shrubland	Established or regenerated shrubland deforested	0
	Total kg	4,733,025
	Tonnes (Y)	4,733

Your farm Livestock balances Grazing movements Lives

Livestock movements



Greenhouse Gas Emissions Calculation for Example Farm 2022

Vegetation offsets		
Source		Kilograms of Carbon dioxide equivalents CO ₂ -e
Exotic forest	28 years of carbon storage, averaged per year	1,183,245
Indigenous forest	Combined total carbon stock for regenerating (less than 100 years old) and established (more than 100 years old) indigenous forests	0
Shrubland	Total carbon stock associated with shrubland older and younger than 30 years old	36,183
	Total kg	1,219,428
	Tonnes (Z)	1,219

Estimated net CO ₂ emissions (t CO ₂ -e) = X + Y - Z	8,979
Estimated net CO ₂ emissions / total ha (t CO ₂ -e)	7.65

 $^{^*}$ CO₂-e (Carbon dioxide equivalents) are calculated using GWP100 (global warming potential) from the IPCC, 2007, Fourth Assessment Report





For further information:

Greenhouse Gas Calculator User Guide on B+LNZ Knowledge Hub - www.knowledgehub.co.nz Search "B+LNZ GHG Calculator User Guide"

www.beeflambnz.com/knowledge-hub/PDF/-ghg-calculator-user-guide.pdf

GHG Calculator Userguide Videos: visit B+LNZ's YouTube channel for a series of videos demonstrating how to use the GHG Calculator: www.youtube.com/user/beeflambnz

Factsheets are made possible by sheep and beef farmer investment in the industry. Beef + Lamb New Zealand is not liable for any damage suffered as a result of reliance on the information contained in this document. Any reproduction is welcome provided you acknowledge Beef + Lamb New Zealand as the source.